



emm
just add paint

**REACHING
NEW
HEIGHTS**

19

hamach
DUTCH ENGINEERING

Colad
inventing more

RONIN TOOLS

EMM International

EMM International is the creative centre for innovative applications in all paint processing branches. At EMM, new inventions are developed which are essential for working with paint effectively and efficiently.

Practical solutions are conceived, developed, tested and produced based on the collaborative work of the Blue Box. Blue box is EMM's think tank, in which dealers and end users like painters and finishers from all over the world are involved on a rolling basis. This results in solutions that increases the productivity of the workflows,

increases the quality of the work and ensures a high safety standard. Together we facilitate excellent work for paint processors in the automotive, aviation, nautic and industry.


EMM features the brands Colad, Hamach and Ronin Tools. Over the last three years EMM introduced over 40 new and innovative products like Colad Turbomix Paintsaver®, Colad Snap Lid System®, Hamach HR1400 and Colad Orange™ Masking. Increase productivity with the new insights, with EMM you make it happen.

Index

Masking	3
Sanding	4
Surface Preparation	5
Paint Preparation	6-7
Snap Lid®	8-9
Booth Maintenance Solutions	10-11
Personal Protection	12-14
Chemicals and Adhesives, Mixing Room, Spray Booth	15




Masking



➤ Stegoband Perforated

906023 (10/11 mm x 10 m)

This Stegoband is perforated every 4 cm so it is easy to tear off. It has a wide edge of 21 mm in total. It is also possible only to use the small edges of 10 or 11 mm. Stegoband can be removed easily leaving no residue. Per roll in a dispenser box.



➤ Fine Line Tape

903003 3 mm (1/8") x 5m (16 ft.)

903006 6 mm (1/4") x 5m (16 ft.)

903009 9 mm (3/8") x 5m (16 ft.)

903012 12 mm (1/2") x 5m (16 ft.)

903019 19 mm (3/4") x 5m (16 ft.)

Green fine line tape, specially designed to mask objects if excellent color separation is required when spraying with multiple colors, printing or custom painting. It adheres to a wide variety of surfaces and can be used in combination with water-based paint systems. It can be removed easily without leaving any residue. 1 roll in a plastic bag.

➤ Electrical Foil Cutter

2075

Electrical cutter for plastic foil and masking paper, supplied in a bag with belt strap for easy storage. The special design of this cutter guarantees that cutting is simple, safe and prevents damage to the vehicle. It ensures fast and effortless cutting of the masking foil. Requires 2 x AA batteries (not included). Per piece.

2076

Spare blades for the electrical cutter. Per 4 pcs.



➤ Mobile Foil Dispenser II

2062

This Mobile Foil Dispenser is ideal for covering vehicles with plastic foil. So easy to use that one man can do the job. Simply take the dispenser to the object, stretch the foil over the vehicle and cut along the cutter guide with the foil cutter. Two rolls can be mounted in the dispenser saving space in the workshop (4 m and 6 m). Per piece. Not assembled.



➤ Foam Masking Tape

908013 (13 mm x 50 m)

908019 (19 mm x 35 m)

Foam Masking Tape is the product to use for masking gaps between bonnets, doors and car body parts. Per roll in a dispenser box.

➤ Permanent Attachment Tape

900509 9 mm (3/8") x 9m (29,5 ft.)

900512 12 mm (1/2") x 9m (29,5 ft.)

Transparent double-face tape, for attaching strips, registration plates and accessories to cars. Clear, permanent bonding, double-sided film. Thin and highly durable. Quick and simple to apply. Resulting in an appearance equal to O.E.M. standards. Available in 9 and 12 mm x 9 m. Per roll in a plastic bag.



➤ Magnetic Foil Cutter

2070

Very practical cutter for plastic foil and masking paper with magnet on back. The special design of this cutter guarantees that cutting is simple, safe and prevents damage to the vehicle. Per 10 pcs.



➤ Sensor Covers

9090300

Dispenserbox 300 pcs.

Accelerate your sanding and painting process by using this efficient solution! Due to its patented design the stickers are easy to apply and remove. Suitable to fit over most modern parking sensors. Over-paintable and possible to sand over by machine.



➤ Aprontaper 1 roll

2040

The dispensers apply the masking tape automatically with the paper! All our aprontapers are designed to mask quick and easy. The mobile units are fitted with strong wheels which can be moved through the masking area, including grid floors. Not assembled.



Sanding



Control Powder 8035EMM

Sanding guide to be used as a sanding control coat on fillers. This product is very economical in use and can be widely applied. Per box of 100 g and applicator in each box.



Scuff Rolls 115 mm x 10 m

38200800 (Red Type A Very Fine)
38201500 (Grey Type S Ultra Fine)
38202000 (Gold Type A Micro Fine)
1 roll shrink wrapped



Viscose Sponges

9150EMM

Viscose Sponges for washing or adding water during any sanding process. Dimensions 135 x 90 x 34 mm. 10 pieces in a plastic bag.



Sanding Cork

5200

Block made of cork for wet or dry sanding. Three layers of natural cork, sealed together. On one side the edges are sharp for precise application and on the other side the edges are shaped for optimal grip. Size: approx. 25 x 60 x 105 mm. Per piece.

Foam Sanding Pads

Highly flexible sanding pads for hand sanding. Can be used for wet or dry sanding to sand parts that machines cannot reach. Long-lasting product. Size: 115 x 140 mm. Box of 20 pads.



38700180 (Fine)
38700220 (Super Fine)
38700280 (Micro Fine)



Scuff Discs Ø 150 mm

38500800 (Red Type A Very Fine)
38501500 (Grey Type S Ultra Fine)
10 discs shrink wrapped



Surface Protection Tape

905050 (50 mm x 50 m)

For protection during sanding, grinding and light blasting jobs. Perfectly suited for the temporary wedging of glued windscreens. 1 roll in a plastic bag.

All products from **Colad**
inventing more



Sander PHP 165 VD Planetary Pneumatic 150 mm

000240

Specially designed for the preparation process because of its very high sanding capacity. Equipped with a useful digital air pressure read-out.



Sander PHP 300 VD Planetary Pneumatic 200 mm

000241

Specially designed for the preparation process because of its very high sanding capacity. The Ø 200 mm pad is designed for big surfaces. Equipped with a useful digital air pressure read-out.

Surface Preparation

↘ Tack Wipers Waffled

9175 (90 x 95 cm)

Recommended for: Large dust particles
 Material: Cotton Gauze
 Structure: Open structure: waffled format
 Packaged in a bag

- Properties
- For use with water and/or solvent based paint systems
 - Naturally treated (no chemical treatment or bleaching)
 - Anti-static



↘ Tack Cloth Waterbased

000805 (61 x 37 cm)

Recommended for: Small, medium and large dust particles
 Material: Viscose and Polyester
 Structure: Combined compact and open structure
 Package: Set of 10 pieces in a plastic bag

- For use with water and/or solvent based paint systems
- Can be applied as transition edge remover
- Removes imperfections on various substrates before spraying
- Lint free



↘ Max-Off

MOPP0002


One-step wiping system that increases your productivity. Removes dust particles and degreases the surface in one motion. Improves paint adhesion and reduces solvent use. 50 wipers per pouch.



↘ Pump Spray Coding Rings®

9705CR


Set of 6 coding rings including 2 Color Identification Charts. Easy to apply on your pump spray bottle. Helps you to identify the content quickly.



↘ Pump Spray 1000 ml

9705Z

The Colad pump spray is equipped with VITON O-rings to resist both water and/or solvent based degreasers and the spray mist is adjustable to fit your job perfectly.




970506

For convenient access to pump spray with coding rings (2/pkg).

↘ Plastic Spreaders

9106 (Flexible Red)

These spreaders are specially designed for the application of putties. Use the flexible spreader for use on flat surfaces. Use the super flexible spreader for use on curved ones. Made of plastic to avoid scratch in the surfaces, with flattened spread-edge, including grip. Available per box (of 100 pieces).



Japanese Putty Knives

9100

Japanese knives for spreading putty. Made of first class quality steel; very flexible, with grip. Per set of 4 pcs in different sizes.

Paint Preparation



Bestseller

Colad


➤ Turbomix Paintsaver®

9500
937010 Wall Mount

Perfect consistency and pigment blend are crucial for a spotless end result. Mixing paint with the Turbomix Paintsaver® speeds up the process, reduces paint wastage and ensures a perfect result! Dimensions: 22 x 2 cm. Suitable for mixing cups up to 1400 ml. 512 pieces in a dispenser.

www.turbomixpaintsaver.com



**BREAK IT
(BEFORE YOU MIX)**




**TO SAVE PAINT
AND
PIGMENTS!**

**EXTRA STRONG
& EXTRA LONG
STIRRER 22 CM!**

**ERGONOMIC
HANDLE**



**DESIGNED TO ACHIEVE
THE PERFECT BLEND**



**SUITABLE FOR ALL TYPES
OF MIXING CUPS**



➤ Turbomix Paddles XL

9520200

Plastic paddle made from recycled synthetic material. Easier stirring and better mixing due to the curved shape and holes. Dimensions: 30 x 3 cm, suitable for mixing cups of 1400 or 2300 ml. 200 pieces in a dispenser box.



Bestseller

➤ Pencil Bottle 30 ml / 1.0 oz.

9186EMM

Provide your client with a paint specimen so that they can touch up minor damage themselves.

- Content: 30 ml / 1.0 oz
- Lid with built-in brush
- 2 metal mixing balls to obtain thorough mix
- Self adhesive labels to add specimen information

100 bottles in a box.



➤ Dispenser Bottle 1000 ml / 33.8 oz.

9700

1000 ml plastic bottle for dispensing special diluent to water-based paint. Equipped with a fine, "drop by drop" nozzle. Per bottle.



➤ 100% Synthetic Paint Strainers

Strainers in plastic bag of 180 pieces.
10350130 Blue (130 micron)
10350190 Green (190 micron)



➤ Holder for Synthetic Paint Strainer

103505



Paint Preparation

THE PERFECT MIX!

AVAILABLE IN FOUR SIZES

COMPATIBLE WITH VARIOUS PAINT APPLICATION SYSTEMS

SOLVENT RESISTANT

ANTI-STATIC



STACKABLE TO SAVE SPACE

PRECISION PRINTED WITH 11 ACCURATE MIXING RATIOS:

1:1, 2:1, 3:1, 4:1, 5:1, 6:1, 7:1, 8:1, 9:1, 10:1, 11:1. *350 ml has 8 mixing ratios.

2 MEASURING SCALES

in millilitres and fluid ounces.

FLAT BOTTOM



*(350 ml has eight mixing ratios)

↘ Mixing Cups

	Quantity		
	120 pieces 4 x 30 pcs NEW (plastic bag)	150 pieces 6 x 25 pcs NEW (plastic bag)	300 pieces 6 x 50 pcs (plastic bag)
350 ml	-	9350150	9350300
700 ml	-	9370150	9370300
1400 ml	9400120	-	9400300
2300 ml	9410120	-	9410300



↘ Mixing Cup Dispenser

94990350 350 ml (12 oz.)
94990700 700 ml (25 oz.)
94991400 1400 ml (48 oz.)
94992300 2300 ml (78 oz.)

Wall dispenser made of durable metal to hold Colad Mixing Cups. The Mixing Cups are easily dispensed one at a time, keeping them clean and free from dust and saving space in the mixing room. Per piece.

↘ Mixing Cup Lids

9360 350 ml (12 oz.)
9380 700 ml (25 oz.)
9480 1400 ml (48 oz.)
9490 2300 ml (78 oz.)
9425LID 6000 ml (303 oz.)



To cover the Colad Mixing Cups and protect paint against dirt and dust. Easy application. 100 pieces in a box, except 9425LID 40/box.

↘ Magnetic Holder


To keep your hands clean while spraying.
931901



↘ Metal Spray Samples

To test colour accuracy of both waterborne coatings and conventional coatings with a black stripe to indicate the degree of the colours' opaqueness and a 15 mm Ø hole to match the colour. Suitable for conventional and waterborne coatings.

Set of 750 pcs.	Set of 100 pcs.	Set of 25 pcs.
9315 (white)	9315-0100 (white)	9315-GV1 (white)
9315-01 (light grey)	9315-0300 (light grey)	9315-GV3 (light grey)
9315-02 (medium grey)	9315-0500 (medium grey)	9315-GV5 (medium grey)
9315-03 (dark grey)	9315-0700 (dark grey)	9315-GV7 (dark grey)



Colad SNAPLID SYSTEM

The fastest paint application system for all types of paint!

Colad introduces the Snap Lid System®, the fastest and easiest paint application system on the market. Save effort, time and money in just two simple steps. Mix, Snap and Go!

- **Fastest system**

Save time and money by using the mixing cup as a paint cup.

- **Easy-to-use**

Complete system with precision-matched components

- **Two filters available**

Suitable for clear coatings, waterborne coatings, conventional based coatings and for primers.



MIX SNAP GO

- 1 Patented/Exclusive Air Valve and Vent Tube**

Maximizes airflow for consistent spray pattern to the last drop: no more overmixing!

- 2 Reinforced lid**

For fast and easy closure and leak prevention.

- 3 Secure and tight thread**

Threaded solid connection to the spray gun

- 4 Matching adapter**

Suitable for most types of spray guns.



NEW! 350 ml / 11.8 oz. version



➤ Snap Lid System®

700 ml / 25 oz.	350 ml / 11.8 oz.
9370130SLS - 130 micron (Blue)	9350130SLS - 130 micron (Blue)
9370190SLS - 190 micron (Green)	9350190SLS - 190 micron (Green)

Snap Lid with built in strainer. Available in 2 different microns. Buy your Snap Lids in a complete set with Colad Mixing Cups. Each box contains 50 Snap Lids and 50 Mixing Cups.



➤ Snap Lid®

700 ml / 25 oz.	350 ml / 11.8 oz.
9370130SL - 130 micron (Blue)	9350130SL - 130 micron (Blue)
9370190SL - 190 micron (Green)	9350190SL - 190 micron (Green)

Snap Lid® with built in strainer. Available in 2 different microns. Packed in a handy dispenser box, easy to mount to the wall at working height with the Colad Snap Lid wall-mount. Each box contains 50 Snap Lids.



➤ Snap Lid Sealing Caps 9370CAP

Seal your Snap Lid temporarily with a Snap Lid Sealing Cap. Packed in a plastic bag with 100 pcs.

➤ Adapter Guide



Brand	Model	Snap Lid Adapter
DeVilBiss	Sri Pro	9370A08
DeVilBiss	TEKNA, CVi, PLUS, GTi, PRi, JGA, Finishline	9370A14
Iwata	SuperNova, Air Gunsa, LPH300, W300	9370A13
Iwata	LPH-400 & W400LV	9370A09
Iwata	LPH-80	9370A18
SATA	QCC Full Size	9370A04
SATA	QCC Mini	9370A05
SATA	NR2000	9370A02

Booth Maintenance Solutions

A COMPLETE SOLUTION FOR MAINTAINING YOUR SPRAY BOOTH!

To guarantee a clean working space and a longer life-span of your spray booth, EMM developed the Cabin Protection System. Optimal protection against booth contamination wall-dust-pollution of your spray job.



SPRAY BOOTH PROTECTION SYSTEM

Film4Booth

6860 90 cm (35.4") x 84 m (275.6 ft) (including 6 rolls of tape).
6880 (3 rolls of tape)

Protect your spray booth walls for 1 year, using this 4-layered protection film! Layer has to be removed after 250 booth cycles or 3 months. To remove a layer, peel the top layer off to expose fresh film and re-tape the edges. Roll of 90 cm x 84 m (including 6 rolls of tape).



- Self-adhesive
- Transparent
- Can be applied over lights and windows
- Treated with paint adhesion



Film4Booth is suitable to be used on the walls of a spray booth, and is tested / certified by norm EN 60079-0 : 2011 which specifies the general requirements of construction, testing and marking of electrical equipment and Ex Components intended for use in Explosive atmospheres.

Film4Booth can be used in accordance with ATEX normative 2014/34/EU (replacement of the old ATEX norm 94/9/CE) and is suitable for the following zones and explosion groups, this was tested by norm EN 60079-0:2011).

- 6900 Foil Dispenser
- 6950 Foil Applicator
- 2070 Magnetic Foil Cutter
- 9105 Plastic Spreader



Film4Floor

6865 90 cm (35.4") x 150 m (429.1 ft)

A self-adhesive strong and durable white film. Makes cleaning very easy.

- White high gloss for optimum reflection
- Strong and durable (100 micron)
- Treated with paint adhesion.
- Easy to apply and cut
- Solvent resistant



- Anti-slip surface
- Easy to remove, does not leave adhesive residue
- Can be used in combination with Dust Control to eliminate dust
- Not anti-static
- Not to be applied in ATEX zone 1, 2, 20, 21 and 22.

Booth Maintenance Solutions



↘ **Blizzard White Booth Coating**

Restore your spray booth to a 'like new' condition in as little as two hours.

- Water-based coating sprays on fast with little or no preparation.
- Gloss white for optimum reflection: won't fade or turn yellow
- Superior film-build and durability makes removal fast and easy, even up to 500 bake cycles.
- Can be recoated between maintenance cycles so your booth's lighting is always bright.
- Ready to apply by spray gun (3.0).

467991 3.8 L (1 gal)

467995 18.9 L (5 gal)



↘ **Ice Transparent Booth Coating**

Protect booth lights and windows quickly and easily.

- Spray-on water-based coating dries clear: won't distort clarity of booth lighting or windows.
- Simply peel and reapply to maintain clean lights and windows.
- Ready to apply by spray gun (3.0).

467901 3.8 L (1 gal)

467905 18.9 L (5 gal)



↘ **Dust Control**

Traps dust and dirt down on paint booth floor to prevent dust from swirling onto paint jobs.

- Reduces cut n buff labor time.
- Apply daily with a pressure sprayer.

467401 3.8 L (1 gal)


467405 18.9 L (5 gal)

↘ **Booth Kit**

467999

Blizzard White Booth Coating 15.1 L (4 gal)

Ice Transparent Booth Coating 0.9 L (1 qt.)



Personal Protection

Improved fit and higher comfort!



Bestseller

BodyGuard®

BODYGUARD®

For a full day of working comfort and protection!

The Colad BodyGuard® Overall provides optimum protection against overspray and prevents pollution of the paint job by fibres, dust and lint.

Designed with the user in mind!

To guarantee you a full day of working comfort, this updated BodyGuard® responds to the experiences of our users. We improved the antistatic capacity with a different type of fabric and redesigned the hood for a better fit!


Personal Protective Equipment (PPE)

Category I according to European Directive 2016/425 - Basic PPE protects against minimal risks. Protects against non-hazardous chemicals, like waterbased paints or harmless cleaning detergents.



BodyGuard® Premium Comfort Spray Overall

520046 (size 46) 520050 (size 50) 520054 (size 54) 520058 (size 58) 520062 (size 62)
 520048 (size 48) 520052 (size 52) 520056 (size 56) 520060 (size 60) 520064 (size 64)



1% carbon thread for higher antistatic capacity!



Spacious but fitted hood for a more comfortable fit!



Still the best fit and highest comfort!

As you are used to, the BodyGuard® has:

- Ultimate heat release capacities
- A highly durable blind zipper
- Durable grey nylon fabric
- Soft, flexible cuffs
- Two back pockets
- Extra movability



According to 1149-3, Method 2: Induction decay time.

BEST PROTECTION

- Anti Static Coating (EN 1149-1:2006)
- Dust and Lint free
- Protects against overspray
- Tight fit to neck, sleeves and ankles cuffs



HIGH PERFORMANCE

- Perfect fit for all sizes
- Maximum movability
- Efficient body heat loss
- Comfortable for the entire working day



DURABILITY

- Durable, protected zipper



ATTRACTIVE APPEARANCE

- Grey colour
- Non-transparent
- Representative appearance

Personal Protection



According to 1149-3,
Method 2: Induction
decay time.



➤ Nylon Spray Coat

- 510152PLAIN-USAB (Size 52 - S)
- 510154PLAIN-USAB (Size 54 - M)
- 510156PLAIN-USAB (Size 56 - L)
- 510158PLAIN-USAB (Size 58 - XL)
- 510160PLAIN-USAB (Size 60 - 2XL)
- 510162PLAIN-USAB (Size 62 - 3XL)
- 510164PLAIN-USAB (Size 64 - 4XL)

For use during paint jobs to protect the wearer against paint spray and to protect the paint job against fibers, dust and lint. White to prevent distortion of colour vision, very durable and well ventilated. One spray coat in a box.



According to 1149-3,
Method 2: Induction
decay time.

➤ Nylon Spray Overall

For use during paint jobs to protect the wearer against paint spray and to protect the paint job against fibers, dust and lint. White to prevent distortion of colour vision, very durable and well ventilated. One overall in a box.

Plain version	Colad version	Size
510052PLAIN-USAB	510052	(Size 52 - S)
510054PLAIN-USAB	510054	(Size 54 - M)
510056PLAIN-USAB	510056	(Size 56 - L)
510058PLAIN-USAB	510058	(Size 58 - XL)
510060PLAIN-USAB	510060	(Size 60 - 2XL)
510062PLAIN-USAB	510062	(Size 62 - 3XL)
510064PLAIN-USAB	510064	(Size 64 - 4XL)
510066PLAIN-USAB	510066	(Size 66 - 5XL)
510068PLAIN-USAB	510068	(Size 68 - 6XL)



Painting

Colad disposable nitrile gloves are especially developed for use during the paint process, offering comfort & protection for the user and protection against paint contamination.

User protection

Not just any glove is suitable to be used in the paint process, when working with paints protection of the painter is of utmost importance.

Protecting the paint

Next to offering protection for the user, it's also vital that gloves protect the paint from contamination. Paint is next to labour the most expensive component in a paint processing company. Nitrile gloves in general protect the paint from hairs, skin fibres & skin grease getting in contact with the paint. Colad gloves itself are developed to create the most ideal circumstances to work with paint.

Characteristics

Our Colad Disposable Nitrile Gloves are produced with a variety of characteristics. Below you can find more specific information. Each product on the following pages is marked with the applicable properties.



Natural Latex Free

Our gloves marked with the latex free logo are natural latex-free. Absolutely safe to wear for people with a latex allergy.



Single use

Our gloves marked with the 'single use' logo are designed to be disposed after use. This prevents contamination and guarantees clean working.



Silicone free

Our gloves marked with the silicone-free logo are designed to be silicon free. This prevents contamination of the paint.



Powder free

Our gloves marked with the 'powder free' logo are washed 3 times during production. This makes them 100% powder free to prevent paint contamination.



Personal Protection

➤ Disposable Nitrile Gloves Grey

This extra thick and extra strong nitrile glove is powder, silicon and latex free. It combines extra protection with extra comfort due to its high elasticity.

- Thickness 8 mil.
- Extra strong, extra flexible and higher tensile strength
- Extra long sleeves (300 mm) and textured surface for better grip
- Especially suitable for working with paints and solvents
- Produced without zinc, sulphur and accelerant to maintain the environment

- 538000 (size M)
- 538002 (size L)
- 538004 (size XL)

Dispenser box with 50 gloves.



➤ Disposable Nitrile Gloves Black


A very high quality, powder-free and solvent-resistant glove that is stronger, thicker and more durable than conventional nitrile gloves.

- Thickness 6 mil.
- Textured finger tips for better grip
- Especially suitable for working with paints and solvents



- 536000 (size M)
- 536002 (size L)
- 536004 (size XL)
- 536006 (size 2XL)

Dispenser box with 60 gloves.



➤ Disposable Nitrile Gloves Blue

A solvent-resistant quality glove that provides excellent protection.

- Thickness 4.5 mil.
- Textured finger tips for better grip
- Especially suitable for working with paints and solvents

- 530904 (size M)
- 530900 (size L)
- 530902 (size XL)

Dispenser box with 100 gloves.



➤ Hand Cleaner

- 8235 300 ml (10.1 oz.)
- 8290 3.8 L (1 gal)

For quick removal of 2-component, acrylic- and water based paints. Contains granulated, synthetic cleansing compounds.



➤ Skin Care Cream

- 8236 3.8 L (1 gal)

Advantages: quickly absorbed by the skin, moisturizes the skin, prevents the skin from drying out and silicone free. Frequent use helps the skin to recover, leaving it smooth and supple. Bottle 250 ml.

Chemicals & Adhesives



Undercoating Spray Gun Adjustable 90672674

Gun for the application of undercoating and cavity protection products in tins of one L. Gun with an air connection and a nozzle to apply the product on the surface. This gun is also equipped with an adjustable nozzle to adapt the spray pattern. Per piece.



Undercoating M80 4010EMM (black) 4020EMM (white) 4030EMM (grey)

Undercoating with anti-corrosion and noise reduction properties. Material made of rubber and resins. After drying, the coating is paintable. The coating offers excellent protection against climatic influences and against gravel and stone chips. 1 L tin with spray connection (suitable for +/- 2.5 m²).



Undercoating M40 4000EMM (black)

Protects against corrosion and salt. Noise-absorbing, flexible and chip-resistant. 1 L tin with spray gun connection.

Self Adhesive Noise Absorbing Sheets 4050



Colad Self Adhesive Noise Absorbing Sheets are designed to be applied to the interior sheets metal of car doors, trunk, car roofs etc. These sheets are made of 100% heat resistant bitumen. Excellent noise and vibration reduction properties. Colad Noise Absorbing Sheets are repaintable. Thickness: 2.2 mm. Per box of 8 sheets of 250 mm x 500 mm.

Mixing Room / Spray Booth

Stick & Go

Quick and efficient protection of surfaces in the mixing room, spray booth floors, stainless steel table tops and paint mixing areas.

- White for optimum reflection
- Chemical and solvent resistant
- Strong and durable
- Ribbed anti-slip surface
- Easy to apply and cut



Stick & Go

- 676010 60 cm (24") x 10M (32 ft.)
- 676025 60 cm (24") x 25M (82 ft.)
- 6710025 100 cm (39") x 25M (82 ft.)



emm
just add paint

*just
add
paint*

Our brands for progress:

hamach
DUTCH ENGINEERING

Colad
an emm product
inventing more

RONIN TOOLS

CPC
Canadian Precision Coatings Inc.

610 D 70 Avenue SE

Calgary Alberta

T2H 2J6

TF 800.206.7815

www.cpcoatings.ca

sales@cpcoatings.ca